

# Cotton Art series



## • INFORMATION

Below spec for bulb without shade

E27, 3.5W, 2700k, 260lm, 220-240V

E27, 3.5W, 2700k, 210lm, 220-240V

Dimmable



**NSCTBA272**

H:223mm

D:180mm



**NSCTBA279**

H:293mm

D:180mm







• **INFORMATION**

Below spec for bulb without shade

E27, 3.5W, 2700k, 260lm, 220-240V

E27, 3.5W, 2700k, 210lm, 220-240V

Dimmable



**NSCTBA273**

H:483mm  
D:180mm



**NSCTBA274**

H:489mm  
D:180mm







## INFORMATION

Below spec for bulb without shade

E27, 3.5W, 2700k, 260lm, 220-240V

E27, 3.5W, 2700k, 210lm, 220-240V

Dimmable



**NSCTBA275**

H:469mm

D:180mm



**NSCTBA276**

H:433mm

D:180mm



**NSCTBA278**

H:333mm

D:180mm



**NSCTBA277**

H:513mm

D:180mm





**Bambi**  
series

• **INFORMATION**

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 210lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3.5W, 3000k, 210lm, 220-240V

3-Step-Dimmable

Dimmable



**BMA249CO125**

H:99mm  
D:125mm



**BMA250BO125**

H:96mm  
D:125mm



**BMA248TR125**

H:139mm  
D:125mm



**BMA247G125**

H:159mm  
D:125mm





# Bambi series

## • INFORMATION

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 210lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3.5W, 3000k, 210lm, 220-240V

3-Step-Dimmable

Dimmable



**BMA253CO125**

H:99mm  
D:125mm



**BMA254BO125**

H:96mm  
D:125mm



**BMA252TR125**

H:139mm  
D:125mm



**BMA251G125**

H:159mm  
D:125mm



**BMA280BO125**

H:96mm  
D:125mm



**BMA281G125**

H:159mm  
D:125mm

The effect apply to all shapes





# Bambi series

## • INFORMATION

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 210lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3.5W, 3000k, 210lm, 220-240V

3-Step-Dimmable

Dimmable



**BMA257CO125**

H:99mm  
D:125mm



**BMA258BO125**

H:96mm  
D:125mm



**BMA256TR125**

H:139mm  
D:125mm



**BMA255G125**

H:159mm  
D:125mm



**BMA282CO125**

H:99mm  
D:125mm



**BMA283BO125**

H:96mm  
D:125mm

The effect apply to all shapes





• **INFORMATION**

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 210lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3.5W, 3000k, 210lm, 220-240V

3-Step-Dimmable

Dimmable



**BMA261CO125**

H:99mm  
D:125mm



**BMA262BO125**

H:96mm  
D:125mm



**BMA260TR125**

H:139mm  
D:125mm



**BMA259G125**

H:159mm  
D:125mm

**Bambi  
series**





• **INFORMATION**

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 210lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3.5W, 3000k, 210lm, 220-240V

3-Step-Dimmable

Dimmable



**NSCDA265CO125**

H:99mm  
D:125mm



**NSCDA266BO125**

H:96mm  
D:125mm



**NSCDA264TR125**

H:139mm  
D:125mm



**NSCDA263G125**

H:159mm  
D:125mm

HOME  
**NS-Candy  
series**







# NS-Crack series

## • INFORMATION

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 210lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3.5W, 3000k, 210lm, 220-240V

3-Step-Dimmable

Dimmable



**NSCKA269CO125**

H:99mm  
D:125mm



**NSCKA270BO125**

H:96mm  
D:125mm



**NSCKA267TR125**

H:139mm  
D:125mm



**NSCKA271G125**

H:159mm  
D:125mm



**NSCKA284BO125**

H:96mm  
D:125mm



**NSCKA268TR125S**

H:139mm  
D:125mm

The effect apply to all shapes



The image features three Edison-style light bulbs with visible filaments, glowing with a warm, golden light. The bulbs are arranged on a dark, textured surface. The central bulb is the most prominent, showing its intricate filament structure. To its right and slightly behind, another bulb is visible, and a third is partially obscured in the background. The lighting is dramatic, highlighting the texture of the glass and the metallic base of the bulbs.

**DECO BULB**



**What is RN ?**




**Retro**

**+**

**Novelty**



# SKD CONSTRUCTION





# Patent

**INTERNATIONAL INVENTION  
PATENT**

---

**INTERNATIONAL PATENT FOR  
UTILITY MODEL**

---

**INTERNATIONAL DESIGN PATENT**



# Features

**0.5mm superfine filament performance,  
closest to Edison carbon filament lamp**

---

**High-end glasses adopted for envelope**

---

**DIY structure realizable**



# Advantages

**Mature, reliable and multi-functional with the  
SMD technique**

---

**Soft and eye-friendly illumination**

---

**Customized filaments and glass envelope**

---

**Glass envelope resistant to dust, stain  
and impact and more glossy  
with varieties of styles and colors**







**A+B**

**Sales modes**

**All-in-one sales mode**

**SKD sales mode**

# All-in-one sales mode



A



# SKD sales mode



+



+



+



+



B



Decorative





Decorative



decorative lightbulbs

decorative lightbulbs



RNG2500 RNG3500 RNG4500

R25 Bulb R26 Bulb R27 Bulb R28 Bulb R29 Bulb R30 Bulb R31 Bulb R32 Bulb R33 Bulb R34 Bulb R35 Bulb R36 Bulb R37 Bulb R38 Bulb R39 Bulb R40 Bulb

SKD SALES MODE





**RN CLASSIC**



# BEST SELLER

RN-ST64

RN-G95

RN-G125

Amber & Smoke

---

4W 1800K 200lm

for lamp without glass shade





**BEST SELLER**

**RN-S123163**

**4W 1800K 200lm**  
for lamp without glass shade



▼  
**Smoke**

**Amber**





**BEST SELLER**

**RN-S135225**

**4W 1800K 200lm**  
for lamp without glass shade



▼  
**Smoke**

**Amber**





**BEST SELLER**

**RN-G200**

**4W 1800K 200lm**  
for lamp without glass shade



▼  
**Smoke**

**Amber**





**BEST SELLER**

**RN-A165**

**4W 1800K 200lm**  
for lamp without glass shade



▼  
**Smoke**

**Amber**





**BEST SELLER**

**RN-ST94303**

**4W 1800K 200lm**  
for lamp without glass shade



▼  
**Smoke**

**Amber**





# BEST SELLER


## Clear & Amber & Smoke

4W 1800K 200lm  
for lamp without glass shade



Smoke

Clear





**BEST SELLER**

**4W 1800K 200lm** | for lamp without glass shade



▼  
**RN T60**



▼  
**RN G125LF**



▼  
**RN G125TW**





**RN**  
**CHAINMAIL**



# BEST SELLER

RN-MC110160  
RN-MC100162  
RN-MC125150  
Black & White

4W 1800K 200lm  
for lamp without metal mesh





**BEST SELLER**

**RN-MC110160**

**RN-MC100162**

**RN-MC125150**

**Brass & Rose gold**

---

**4W 1800K 200lm**

for lamp without metal mesh





# BEST SELLER

RN-MC110160

RN-MC100162

RN-MC125150

Gold

---

4W 1800K 200lm

for lamp without metal mesh





# BEST SELLER

## Gold & Silver & Black

4W 1800K 200lm  
for lamp without metal mesh



RN-A101GMC97

RN-A103SMC97

RN-A102BMC97



RN-A107GMC125

RN-A109SMC125

RN-A108BMC125



RN-A110GMCA125

RN-A112SMCA125

RN-A111BMCA125



# BEST SELLER

## Gold & Silver & Black

4W 1800K 200lm  
for lamp without metal mesh



RN-  
A104GMCT100

R N -  
A106SMCT100

RN-  
A105BMCT100



RN-  
A075WMCT125



# BEST SELLER

## Black & Gold & White

---

**4W 1800K 200lm**  
for lamp without metal mesh







**RN MODERN**



**BEST SELLER**

**RN MODERN ST60**  
**RN MODERN G95**  
**RN MODERN G125**  
**Clear & Amber & Smoke**

---

**2W 1800K 110lm**  
**2W 3000K 160lm**  
for lamp without glass shade







**RN COLORS**



# BEST SELLER

## RN COLORS Apply to any glass

4W 1800K 200lm  
for lamp without glass shade



BAA



Gradient  
#1



BAIG



Gradient  
#2



BAIB



GY300





**RN CRYSTAL**



**BEST SELLER**

**RN CRYSTAL  
Clear & Smoke**

---

4W 1800K 200lm - Clear  
4W 1800K 100lm - Smoke



G125FC1979

G125FC1978

G125FC1980





**RN ALPS**



**BEST SELLER**

## **RN ALPS**

---

**4W 1800K 200lm**  
for lamp without glass shade







**RN DNA**



**BEST SELLER**

**RN DNA G125  
Amber & Smoke**

---

**3.5W 1800K 130lm**  
for lamp without glass shade





# BEST SELLER

## RN T30 lightbulb

4W 1800K 200lm

Advantage compared to T30 LED filament

- More straight because of buckle construction
- Light is continuous, but light for T30 LED filament is disconnected
- Length can be freely customized





**DECO**







**NON STEM  
METAL MESH**



**BEST SELLER**

**NS-MC110160**

**NS-MC100162**

**NS-MC125150**

**Black & White**

---

**SMD 3.5W 3000K 240lm**  
for lamp without metal mesh





# NON STEM METAL MESH

NS-MC110160

NS-MC100162

NS-MC125150

Brass & Rose gold

---

SMD 3.5W 3000K 240lm  
for lamp without metal mesh





# NON STEM METAL MESH

RN-MC110160  
RN-MC100162  
RN-MC125150  
Gold

---

SMD 3.5W 3000K 240lm  
for lamp without metal mesh







**NON STEM  
DAZZLE**



# NON STEM DAZZLE BEST SELLER

SMD 2W 3000K 130lm for LB-  
A095T30

SMD 3.5W 3000K 240lm for  
remaining items  
for lamp without glass shade



LB-  
A095T30  
H: 184mm  
D: 30mm



LB-  
A098T60  
H: 300mm  
D: 64mm



LB-  
A089ST64  
H: 150mm  
D: 67mm



LB-  
A086T45 H:  
117mm  
D: 46mm



LB-  
A083G125  
H: 186mm  
D: 130mm



LB-  
A080G80 H:  
127mm  
D: 80mm



LB-  
A077A60 H:  
126mm  
D: 62mm





**NON STEM  
METAL SHADE**



# BEST SELLER

**SMD 3.5W 3000K 320lm**  
for lamp without glass shade



**PMMBA16**  
3



**PMMBA16**  
4



**PMMBA16**  
5



**PMMBA16**  
0



**PMMBA16**  
1



**PMMBA16**  
2





GPCYA21

2

GPCYA21

3

GPCYA21

1

**NON STEM  
GLASS SHADE**



# BEST SELLER

**SMD 3.5W 3000K 320lm**  
for lamp without glass shade



**GPCMOA1**  
96



**GPCMOA1**  
97



**GPCMOA1**  
98



**GPCCA205**



**GPCCA206**



**GPCCA207**





**GSLFA17**  
6

**GSLFA17**  
5

**GSLFA17**  
7

**NON STEM  
STRIPED GLASS  
SHADE**



# BEST SELLER

**SMD 3.5W 3000K 320lm**  
for lamp without glass shade



GSEGOA180



GSEGOA1  
79



GSEGOA1  
78



GSLCA192



GSLCA191



GSLCA190



# MELODY

## MELODY SERIES

---

**SMD 0.5W LED green circle**  
for E27 adaptor

**RN SMD 4W 1800K 200lm**  
for E27 LED bulb without glass shade



MD-BMC150263 Black



MD-BMC250236 Black



MD-BRMC250236 Brass



MD-BMC220313 Black





TWILIGHT



# BEST SELLER

## TWILIGHT G95 TWILIGHT G125 Silver & Black & Gold Cylinder

SMD 3W 1800K 10lm - Black  
SMD 3W 1800K 30lm - Silver  
& Gold  
for lamp without glass shade







**BULB IN BULB**



**BEST SELLER**

## Bulb in bulb

SMD 3.5W 3000K 240lm for lamp  
without glass shade



BD120



BD150



BD125



G125-BA80LF



G125-BO80LF



# BULB IN BULB V2 BEST SELLER

## Bulb in bulb V2

---

Filament LED 4W 2700K 470lm  
Filament LED 4W 2700K 400lm  
dimmable  
for lamp without glass shade



A070G80LFA



A070G80BD






**MAGICIAN  
LED FILAMENT**



**BEST SELLER**

# Magician

Filament LED G125 4W 1800K







**DECO FLEXIBLE  
LED FILAMENT**



**BEST SELLER**

**Clear & Amber & Smoke**

**Soft filament LED 4W 1800K**



TB120380GF Amber



TB120380GF Smoke



A165GF Amber



S173308GF Amber



S173308GF Smoke



S190GF Smoke



**BEST SELLER**

**Clear & Amber & Smoke**

Soft filament LED 4W 1800K



AX108158SF Amber



UFO125180SF Amber



S123163SF Amber





# PORCELAIN LED FILAMENT



# BEST SELLER

## Porcelain

Filament LED 7W 806lm 3000K  
Dimmable for G125MO

Filament LED 4W 450lm 3000K  
Dimmable for remaining items



G125180PTMO



G125175LFMO



G125175WZTMO



G125180LXMO



ST60147ZTMO



G125MO



# STRAIGHT LED FILAMENT BEST SELLER

Straight LED FILAMENT  
Clear & Amber & Smoke

4W 400lm 2200K



G125175-WZT



G125175LF

ST60160ZT



# LETTER LED FILAMENT BEST SELLER

## LETTER LED FILAMENT

2W 120lm 2000K for Amber





THANKS






**WORK  
LIGHT**




Technical Consumer Products.INC.





# VOYAGER SERIES



## MULTIPLE POWER SUPPLY MODES

### 3 Power Supply Modes

- AC power
- DC power (lithium-ion battery pack)
- 18V/20V battery pack (compatible with power tool battery)



AC power



18V/20V battery pack



DC power



## LT6Z049

- AC:100-240V/50-60hz / DC: 12V
- max:8000LM/4000LM/2000LM
- 2700~6500K
- with ON/OFF switch and mode switch
- model:100%-50%-25%-nightlight
- with remote control,control distance 8-10m
- 1.83m SJTW 18AWG\*2C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- with 8800mAh battery
- Aluminium tripod legs, IP44
- Packing in color box
- Packing:89x17x32cm/2pcs 10/8kgs








## FLAWLESS LIGHTING

Configured in dozens of ways and illuminate where it is needed

## EASY TO CARRY AND STORE

Fold down into a super-compact tube for easy transport and storage



-  **Working Mode**  
4-lamp Head Light On
-  **Warning Mode**  
Warning Light Flashing
-  **Night Mode**  
Warning Light On with  
Energy-saving Mode



330° Horizontal Rotation



## INCLUDED REMOTE

With remote control, you can turn on / off the light and change the mode as far as 10 meters.

Technical Consumer Products.INC.



## ECO VOYAGER SERIES



180° Horizontal Rotation

360° Vertical Rotation



### LT6Z051

- AC:100-240V/50-60hz
- max:6000LM/3000LM
- 2700~6500K
- with ON/OFF switch and mode switch
- model:100%-50%
- 1.83m SJTW 18AWG\*2C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- Plastic tripod legs
- Packing in color box
- Packing:89x17x32cm/2pcs 10/8kgs

Technical Consumer Products.INC.

## AST8 SERIES WORK LIGHT







### HIGH EFFICIENCY SMD LED

Up to 105 lumen per watt, provide excellent brightness for your work environment.

### HOOK OR HANDLE

360° swiveling hook provides an additional function for hanging, while 180° foldable handle provides a better way for gripping.



### ALUMINUM HEAT SINK

After continuous 24-hour operation; Fin-shaped heat sink stays cool to the touch;



### AC/DC DUAL USE

The two power supply modes can be switched at will to meet the lighting needs of different occasions



## CUSTOMIZED EMBOSSED LOGO

Build brand awareness with textured logo.



## AST8 SERIES WORK LIGHT(10w TO 270w)

<b>Input voltage</b>	AC230V / 50Hz or AC120V/60Hz
<b>Power</b>	10W 15W 20W 30W 35W 55W 60W 65W 85W 100W 135W
<b>Lumen Output</b>	1080LM 1580LM 2000LM 3000LM 3600LM 6000LM 7000LM 10000LM 10000LM 15000LM
<b>CRI</b>	>80
<b>CCT</b>	2700-6500K
<b>Lamp Body Material</b>	Aluminum housing
<b>Weatherproof Rating</b>	IP65
<b>Cable Length</b>	Portable-1.5m(5ft)/Tripod-2.5m(8.2ft)
<b>Product Code &amp; Size</b>	Portable (A-hook / B-handle / T-2model swich) 10W AST8310A/AST8310B 60W AST8360 15W AST8315A/AST8315B 65W AST8365/AST8365T 20W AST8320 85W AST8385/AST8385T 30W AST8330 100W AST83100T 35W AST8335 135W AST83135T 55W AST8355
	Tripods (twin-head) 2X20W AST8620X2 2x65W AST8665x2/AST8665Tx2 2X30W AST8630X2 2x85W AST8685x2/AST8685Tx2 2x35W AST8635x2 2x100W AST86100Tx2 2x55W AST8655x2 2x135W AST86135Tx2



AST8315A



AST8355



AST8335



AST8635x2





### AST8315A 1580LM

- AC120V~60Hz/230V~50Hz
- 15W,SMD,1580LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- ON/OFF switch
- Aluminium body, IP65
- Packing in color box
- Packing:54x17x27cm/8pcs 8/6kgs



### AST8355 6000LM

- AC120V~60Hz/230V~50Hz
- 55W,SMD,6000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- ON/OFF switch
- Aluminium body, IP65
- Packing in color box
- Packing:55x22x22cm/5pcs 7.5/6kgs

### AST8335 3600LM

- AC120V~60Hz/230V~50Hz
- 35W,SMD,3600LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- ON/OFF switch
- Aluminium body, IP65
- Packing in color box
- Packing:56x19x32cm/8pcs 8.5/6.5kgs



### AST8365T 7000LM

- AC120V~60Hz/230V~50Hz
- 65W,SMD,7000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- 2model switch
- Aluminium body, IP65
- Packing in color box
- Packing:53x25x24cm/5pcs 9/7kgs



Technical Consumer Products.INC.





**AST8385**

**AST8385T 10000LM**

- AC120V~60Hz/230V~50Hz
- 85W,SMD,10000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- 2model switch
- Aluminium body, IP65
- Packing in color box
- Packing:53x25x24cm/5pcs 9/7kgs



**AST83100T**

**AST83100T 10000LM**

- AC120V~60Hz/230V~50Hz
- 100W,SMD,10000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- 2model switch
- Aluminium body, IP65
- Packing in color box
- Packing:55x31x33cm/4pcs 13/11kgs



**AST83135T 15000LM**

- AC120V~60Hz/230V~50Hz
- 135W,SMD,15000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- 2model switch
- Aluminium body, IP65
- Packing in color box
- Packing:55x31x33cm/4pcs 13/11kgs

Technical Consumer Products.INC.





**AST8635x2**

**AST8655x2**

**AST8635x2 7200LM**

- AC120V~60Hz/230V~50Hz
- 2x35W,SMD,7200LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- ON/OFF switch
- with 1.2m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:64X30X22.5cm/2pcs 10/8kgs

**AST8655x2 12000LM**

- AC120V~60Hz/230V~50Hz
- 2x55W,SMD,12000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- ON/OFF switch
- with 1.2m tripod(1#)
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:61x26.5x32cm/2pcs 11/9.5kgs



**AST8665Tx2**

**AST8685Tx2**

**AST8665Tx2 14000LM**

- AC120V~60Hz/230V~50Hz
- 2x65W,SMD,14000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- 2model switch
- with 1.5m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:65x30x26.5cm/2pcs 12.5/11kgs

**AST8685Tx2 20000LM**

- AC120V~60Hz/230V~50Hz
- 2x85W,SMD,20000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- 2model switch
- with 1.5m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:65x30x26.5cm/2pcs 12.5/11kgs



## AST86100Tx2 20000LM

- AC120V~60Hz/230V~50Hz
- 2x100W,SMD,20000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- 2model switch
- with 1.6m tripod(2#)
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:73x22x30cm/1pcs 9/7kgs

## AST86135Tx2 30000LM

- AC120V~60Hz/230V~50Hz
- 2x135W,SMD,30000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- 2model switch
- with 1.6m tripod(2#)
- with quick-release
- Aluminium body,IP65
- Packing in color box
- Packing:73x22x30cm/1pcs 9/7kgs



AST86100Tx2



AST86135Tx2



AST8860



AST8860x2

## AST8860 6000LM

- DC 5V/8W ,SMD,800LM
- AC120V~60Hz/230V~50Hz
- 60W,SMD,6000LM
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- Two setting Modes
- Rechargeable Work Light
- Can be used by AA batteries(3pcs)
- Aluminium body, IP65
- Packing in color box
- Packing:53x25x24cm/5pcs 9/7kgs

## AST8860x2 12000LM


- DC 5V/2x8W ,SMD,1600LM
- AC120V~60Hz/230V~50Hz
- 2x60W,SMD,12000LM
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- Two setting Modes
- Rechargeable Work Light
- Can be used by AA batteries(3pcs)
- with 1.5m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:65x30x26.5cm/2pcs 13.5/12kgs





### AST86100TSx2 20000LM

- AC120V~60Hz/230V~50Hz
- 2x100W,SMD,20000LM
- 2700~6500K,120°
- portable with 1.5m cable,
- tripod with 2.5m 16AWG extension cable, UL / VDE plug
- 2model switch
- with 1.6m tripod(2#)
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:73x22x30cm/1pcs 11/9kgs



Technical Consumer Products.INC.



## GL SERIES WORK LIGHT





## PROFESSIONAL GRADE WORK LIGHT

GL series work light for professional lighting on your next project.

## HIGH EFFICIENCY SMD LED

Up to 115 lumen per watt, provide excellent brightness for your work environment.



## ALUMINUM HEAT SINK

After continuous 24-hour operation;  
Fin-shaped heat sink stays cool to the touch;



## CUSTOMIZED METAL SURFACE FRAME

Professional design special metal surface frame

Technical Consumer Products.INC.



## GL SERIES WORK LIGHT(55W TO 270W)

<b>Input voltage</b>	AC230V / 50Hz or AC120V/60Hz
<b>Power</b>	<b>55W    85W    135W</b>
<b>Lumen Output</b>	7000LM 10000LM 15000LM
<b>CRI</b>	>80
<b>CCT</b>	2700-6500K
<b>Lamp Body Material</b>	Aluminum housing
<b>Weatherproof Rating</b>	IP65
<b>Cable Length</b>	Portable-1.5m(5ft)/Tripod-2.5m(8.2ft)
<b>Product Code &amp; Size</b>	Portable (A-hook / B-handle)
	55W    GL8355
	85W    GL8385
	135W    GL83135T
	2x55W    GL8655x2
	2x85W    GL8685x2
	2x135W    GL86135Tx2



GL8355



GL8385



GL8315T



GL8655x2

### GL8355 7000LM

- AC120V~60Hz/230V~50Hz
- 55W,SMD,7000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- ON/OFF switch
- Aluminium body, IP65
- Packing in color box
- Packing:50x24.5x45cm/8pcs 13/11kgs

### GL8385 10000LM

- AC120V~60Hz/230V~50Hz
- 85W,SMD,10000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- ON/OFF switch
- Aluminium body, IP65
- Packing in color box
- Packing:48x32x26.5cm/6pcs 11.5/9kgs

### GL83135T 15000LM

- AC120V~60Hz/230V~50Hz
- 135W,SMD,15000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM<sup>2</sup>, UL / VDE plug
- 2model switch
- Aluminium body, IP65
- Packing in color box
- Packing:55x31x33cm/4pcs 13/11kgs

Technical Consumer Products.INC.





### GL8655x2 14000LM

- AC120V~60Hz/230V~50Hz
- 2x55W,SMD,14000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- ON/OFF switch
- with 1.5m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:72.5x26.5x32cm/2pcs 11/9.5kgs



### GL8685x2 20000LM

- AC120V~60Hz/230V~50Hz
- 2x85W,SMD,20000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- ON/OFF switch
- with 1.6m tripod ( 2# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:76.5x17.5x26.5cm/1pcs 7/5.5kgs



Technical Consumer Products.INC.





- AC120V~60Hz/230V~50Hz
- 2x135W,SMD,30000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- 2model switch
- with 1.6m tripod(4#)
- with quick-release
- Aluminium body,IP65
- Packing in color box
- Packing:76.5x21.5x29.5cm/1pcs 10/8kgs

Technical Consumer Products.INC.

## AST7 SERIES WORK LIGHT







### HIGH EFFICIENCY SMD LED

Up to 100 lumen per watt, provide excellent brightness and wide illumination range for your work environment.



### PATENTED FOLD FLAT DESIGN

Easy stand angle adjustment by 5 positions fold flat design.

### ALUMINUM HEAT SINK

The work light stays cool to the touch after continuous 24-hour operation.



### 30% SPACE SAVING

Nearly 5600pcs AST7330(30 watts) can be loaded into a 20GP container.



Technical Consumer Products.INC.



## AST7 SERIES WORK LIGHT(10w TO 100w)

Input voltage	AC230V / 50Hz or AC120V/60Hz			
Power	10W	20W	30W	50W
Lumen output	1000LM	2000LM	3000LM	5000LM
CRI	>80			
CCT	2700-6500K			
Lamp body material	Aluminum			
Weatherproof rating	IP65			
Cable length	Portable-1.5m(5ft)/Tripod-2.5m(8.2ft)			
Product Code & Size	Portable			
	10W	AST7310		
	20W	AST7320		
	30W	AST7330		
	50W	AST7350		
Tripods (single-head)	Tripods (twin-head)			
10W	AST7610	2X10W	AST7610X2	
20W	AST7620	2X20W	AST7620X2	
30W	AST7630	2X30W	AST7630X2	
50W	AST7650	2X50W	AST7650X2	



**AST7310**



**AST7330**



**AST7320**



**AST7350**



### AST7310

- AC120V~60Hz/230V~50Hz
- 10W,SMD,1000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- no switch
- Aluminium body, IP65
- Packing in color box
- Packing:55x25x32cm/16pcs 12/10.5kgs

### AST7320

- AC120V~60Hz/230V~50Hz
- 20W,SMD,2000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- no switch
- Aluminium body, IP65
- Packing in color box
- Packing:45x30x31cm/10pcs 11.5/10kgs



Technical Consumer Products.INC.





### AST7330

- AC120V~60Hz/230V~50Hz
- 30W,SMD,3000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- no switch
- Aluminium body, IP65
- Packing in color box
- Packing:45x30x31cm/10pcs 11.5/10kgs



### AST7350

- AC120V~60Hz/230V~50Hz
- 50W,SMD,5000LM
- 2700~6500K,120°
- 1.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- no switch
- Aluminium body, IP65
- Packing in color box
- Packing:39x28x36cm/6pcs 10.5/9kgs



### AST7620x2 AST7630x2

- AC120V~60Hz/230V~50Hz
- 2x20W,SMD,4000LM/2x30W,SMD,6000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- no switch
- with 1.2m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:62x30x57cm/4pcs 16/14kgs



### AST7650x2

- AC120V~60Hz/230V~50Hz
- 2x50W,SMD,10000LM
- 2700~6500K,120°
- 2.5m SJTW 18AWG\*3C / H05RN-F 3G 1.0MM², UL / VDE plug
- no switch
- with 1.2m tripod ( 1# )
- with quick-release
- Aluminium body, IP65
- Packing in color box
- Packing:62x30x38cm/2pcs 10/8.5kgs



## AST3 SERIES WORK LIGHT



### DUAL LIGHT SOURCES

Up to 1000lumen high efficiency SMD LED and 200lumen flashlight on top



### ROTATABLE HOOK FUNCTION

Rotatable hook is suitable for a variety of hanging occasions



Technical Consumer Products.INC.



## COLLAPSIBLE BASE

Adjustable folding base allow the product to stand at multiple angles.



5V 2A

## POWER BANK FUNCTION

Power bank function for recharging outer devices

Technical Consumer Products.INC.

## AST3 SERIES RECHARGEABLE WORKLIGHT

Power	8W(LED) + 2W(Blink)	10W	15W	20W
lumen output	800LM	1000LM	1500LM	2000LM
Battery capacity	3.7V 4400mAh	3.7V 4000mAh	3.7V 8000mAh	3.7V 8800mAh
CRI	>80			
Running time	5/10/18h	2/4h	2/4/8h	3/6/12h
Charging time	4-5h	4-5h	4-5h	4-5h
USB output function	5V 2A			
Lamp body material	Aluminum			
Weatherproof rating	IP65			
Accessory	1m charging cable			
Product Code	Portable			
	8W(LED) + 2W(Blink)	AST308		
	10W(LED)	AST309/AST310/AST311/AST311B/AST313		
	15W(LED)	AST315/AST315B		
	20W(LED)	AST320		





### AST308

- 3.7v Li-ion 4400mAh / 8w+2w Max : 760LM/380LM/190LM
- 2700~6500k
- Working Time: 4h/8h/16h
- Model : 100%-50%-25%-red&blue Flashing
- Charging Time: 4-5 Hours
- Input : 5v , Usb Output: 5v
- With 1pc Cable
- Without Charger
- Aluminium Body, IP65
- Packing In Color Box
- Packing:43x35x21cm/10pcs 12/10kgs



### AST311

- 3.7v Li-ion 4000mAh / 10w Max : 500LM/1000LM
- 2700~6500k
- Working Time : 2h/4h
- Model : 50%-100%
- Charging Input : 5v
- (lamp Can Be Mounted On The Tripod With 1/4 Nut)
- With 1pc Cable
- Without Charger
- Plastic Body, IP44
- Packing In Color Box
- Packing:35x25x35cm/20pcs 9/7kgs



### AST310

- 3.7v Li-ion 4400mAh/ 10w Max:1000LM/500LM
- 2700~6500k
- Working Time: 3.5h/7h
- Model:100%-50%
- Charging Time: 4-5 Hours
- Input : 5v , Usb Output: 5v
- With 1pc Cable
- Without Charger
- Aluminium & Plastic Body, IP65
- Packing In Color Box
- Packing:32.5x28x26cm/10pcs 9/7kgs



### AST311B

- 3.7V Li-Ion 4000mAh / 10W MAX : 500LM/1000LM
- 2700~6500K
- working time : 2h/4h
- model : 50%-100%
- charging input : 5V
- (lamp can be mounted on the tripod with 1/4 nut)
- with 1pc cable
- without charger
- Plastic body, IP44
- Packing in color box
- Packing:35x25x35cm/20pcs 9/7kgs





### AST313

- 3.7V Li-Ion 4000mAh / 10W MAX : 500LM/1000LM+200LM
- 2700~6500K
- working time : 2h/4h
- model : 50%-100%-flashing
- input : 5V, USB output: 5V
- (lamp can be mounted on the tripod with 1/4 nut)
- with 1pc cable
- without charger
- Plastic body, IP44
- Packing in color box
- Packing:34.5x29.5x30cm/20pcs 12/10kgs



### AST315

- 3.7v Li-ion 8000mAh
- Led:15w+speaker : 2x3w
- 2700~6500k
- Max : 400LM/800LM/1500LM
- Working Time : 8h/4h/2h
- Model : 25%-50%-100%
- Fm Radio&bluetooth
- Input : 5v , Usb Output : 5v
- (lamp Can Be Mounted On The Tripod With 1/4 Nut)
- With 1pc Cable
- Without Charger
- Aluminium Body, IP44
- Packing In Color Box
- Packing:50x24x18cm/5pcs 8/7kgs



### AST315B

- Led:15w+speaker : 2x3w
- 2700~6500k
- Max : 400LM/800LM/1500LM
- Model : 25%-50%-100%
- FM Radio&bluetooth
- Input : 20v
- (lamp Can Be Mounted On The Tripod With 1/4 Nut)
- Without Battery
- Aluminium Body, IP20
- Packing In Color Box
- Packing:54x30x18cm/5pcs 8/7kgs



### AST320

- 3.7v Li-ion 8800mAh / 20w
- Max : 2000LM/1000LM/500LM
- 2700~6500k,120°
- Working Time: 2h/4h/8h
- Model : 100%-50%-25%
- Charging Time: 5-8 Hours
- Input : 5v , Usb Output: 5v
- With 1pc Cable
- Without Charger
- Aluminium Body, IP44
- Packing In Color Box
- Packing:53x22x21.5cm/5pcs 8.5/6.5kgs



ONE FOR ALL



## HANDHELD LIGHT - 94103

Input: 20V Li-ion 2000mAh battery pack  
Power: 10W, 1000LM, 6500K  
Modes: 500LM / 1000LM / Flashing  
Working time: 7h / 3.5h  
Aluminum&Plastic housing  
IP20

## SITELIGHT - 94101

Input: 20V Li-ion 2000mAh battery pack  
Power: 20W, 2000LM, 6500K  
Modes: 1000LM / 2000LM  
Working time: 3h / 1.5h  
Power bank function: 5V 1A  
Aluminum&Plastic housing  
IP20



Technical Consumer Products.INC.







## DUAL POWERED WORK LIGHT - 94102

Input: 20V Li-ion 2000mAh battery pack / AC100-240V  
Power: 24W, 2400LM, 6500K  
Modes: 1200LM / 2400LM / Flashing  
Working time: 2h / 1h  
Aluminum&Plastic housing  
IP20



## DUAL POWERED WORK LIGHT - 94108

Input: 20V Li-ion 2000mAh battery pack / AC100-240V  
Power: 24W, 2400LM, 6500K  
Modes: 1200LM / 2400LM / Flashing  
Working time: 2h / 1h  
Aluminum&Plastic housing  
IP20

## 20V BATTERY PACK – ONE FOR ALL

One battery pack fits all three work lights,  
and more work lights will be developed.  
To be continued...



Technical Consumer Products.INC.